

BOQ for Interior furnishing work at Balehonnur Branch of Chikkamagaluru Region

Sl. No.	Description of Work (Full Spec)	Qty	Rate (In INR)	Amount (In INR)
1	<p><u>Wooden cum Glass Partition for Manager Cabin :-</u></p> <p>Providing, Fabricating & Fixing Partition frame consisting of 50x50mm Sal wood frame at spacing not exceeding 600mm c/c fixed to the bottom & ceiling.</p> <p>The Partition shall be skinned on both faces with 6mm commercial plywood of approved brand, termite and water resistant.</p> <p>Exterior faces to be pasted with 1 mm thick laminate of approved quality & colour to the top & bottom panels of the partition.</p> <p>Middle panel to be covered with 6mm thick plain glass with etching of 5mm thick line at every 125mm c/c both ways firmly fixed.</p> <p>The partition shall have 2 Nos. of doors size 0.91m x 2.13m with proper hinges, stoppers, locks, handles, hydraulic closure etc., complete.</p> <p>Note : Ceiling height 3.05 m from floor level.</p> <p>Measurement details:</p> <p>1 No. x 10'2" x 10'0" = 101.70 Sft</p> <p>1 No. x 10'0" x 10'0" = 100.00 Sft</p> <p>Total Area = 201.70 Sft.</p>	201.70 Sft		
2	<p><u>Partition for Single Window Counter :-</u></p> <p>Providing & fixing cash cabin partition using seasoned Sal wood frame not less than 75mm x 50mm in size firmly fixed to the table.</p> <p>Providing and fixing 6mm plain glass with etching works firmly fixed using teak wood beadings.</p> <p>Provision of sections above firmly fixed to the floor with 9mm thick interior grade pre-laminated board of approved shade up to 1.21 m height Above 1.21 m height with 5mm thick plain glass.</p> <p>The partition shall have 1 no. door of size 0.90m x 1.52m with proper hinges, stoppers,</p>	76.75 Sft		

	<p>locks, handles, etc., complete.</p> <p>Measurement details:</p> <p>For front above the table – 1 No. x 5'6" x 4'6" = 24.75 Sft</p> <p>For side – 1 No. x 3'0" x 4'6" = 13.50 Sft</p> <p>Side / return – 1 No. x 5'6" x 7'0" = 38.50 Sft</p> <p>Total Area = 76.75 Sft.</p>		
3	<p><u>Clerical Low counter :-</u></p> <p>Providing and fixing in position low counter using 19mm thick (BWR) marine grade plywood for front side and for all other sides. Top shall be provided with 19mm thick (BWR) marine grade plywood.</p> <p>There shall be three drawers at every 134 cm c/c.</p> <p>Arrangements shall be made for keyboard trays with telescopic sliding channels and CPU stand at every 134 cm c/c.</p> <p>All exterior and top panels to be provided with 1 mm thick matt finish laminate of approved make and shade.</p> <p>Internal surfaces with white colour laminated sheet.</p> <p>Multipurpose locks, 100mm 'C' type stainless steel handles shall be provided for drawers & cupboards.</p> <p>Laminated/teak wood footrest of size 75mm x 38mm.</p> <p>The front side counter edges / ends to be provided with 50mm dia semicircular teak wood beading with PU coating system.</p> <p>Cable managers for counter top.</p> <p>The height of the counter 75cm, width of the counter 90cms.</p> <p>Including cost of all materials, transportation, labour etc., complete as per design / drawing enclosed.</p> <p>Measurement details (Low Counter):</p> <p>1 No. x 6'0" x 3'0" = 18.00 Sft</p> <p>3 Nos. x 5'0" x 3'0" = 45.00 Sft</p> <p>Total Area = 63.00 Sft.</p>	63.00 Sft	

3A	<p>Printer Table :-</p> <p>Providing and fixing printer table using same specification as low counter where applicable, including laminate, fittings etc.</p> <p>Measurement details:</p> <p>1 No. x 2'4.5" x 3'0" = 07.13 Sft</p> <p>Total Area = 07.13 Sft.</p>	07.13 Sft		
4	<p><u>Manager's Works Station :-</u></p> <p>Providing and fixing in position managers work station with side runner using 19mm thick (BWR) marine grade plywood for all the sides. Finished with 1 mm thick laminate of approved make and shade (lamination to be done for all outer portions and inner surfaces with internal lamination of approved colour).</p> <p>The drawers to be provided with sliding channels.</p> <p>Inner portion of drawers and cupboards finished with internal lamination of approved colour.</p> <p>Front side edges to be finished with 50mm dia semicircular teak wood beading finished with polish.</p> <p>Rear edges to be provided with 20mm x 6mm teak wood beading finished with polish.</p> <p>Including providing and fixing 100mm 'C' type stainless steel handles, Godrej multipurpose locks, automatic steel zero crank hinges for cupboards etc.</p> <p>Table and runner top laid with 10mm thick plain glass.</p> <p>Including fixing keyboard with telescopic sliding channel, CPU stand, 75 x 38mm teak wood footrest etc., complete as per design / drawing enclosed.</p> <p>Measurement details:</p> <p>Table – 1 No. x 7'0" x 3'0" = 21.00 Sft</p> <p>Side runner / return – 1 No. x 3'6" x 2'0" = 07.00 Sft</p> <p>Total Area = 28.00 Sft.</p>	28.00 Sft		
5	<p><u>Storage Unit Cabinet Type :-</u></p> <p>Providing and fixing storage system of 1.5'</p>	122.33		

	<p>depth or required length and depth of the cabinet made with 18mm commercial board of approved make with ISI mark.</p> <p>The top, sides and front face of the cabinet to be pasted with 1 mm thick laminated sheet.</p> <p>The cabinet should have required nos. of shelves with doors fitted with good quality hinges and locking arrangements, with magnet catch for rack-type storage units.</p> <p>More nos. of shelves and partitions to be provided as required.</p> <p>All the edges of the cabinet should be provided with TW / beech wood beadings with two coats of melamine polish.</p> <p>Inner surface and the back side of the cabinet to be painted with two coats of wood primer and two coats of enamel paint of approved colour and make.</p> <p>The colour of the laminated sheets, handles and other hardware items have to be used as per bank's approved list of material / bank's prior approval.</p> <p>Measurement details:</p> <p>Side box for cash counter – 1 No. x 2'6" x 1'4" = 3.33 Sft</p> <p>Storage @ Stationeries Room – 1 No. x 17'0" x 7'0" = 119.00 Sft</p> <p>Total Area = 122.33 Sft.</p>	Sft		
6	<p><u>Glass Partition :-</u></p> <p>Providing and fixing 12mm glass partition to low counters with proper bracketing and hinged with vertical wooden post.</p> <p>Measurement details (Officer & Clerical Low Counter):</p> <p>3 Nos. x 5'0" x 1'6" = 22.50 Sft</p> <p>Total Area = 22.50 Sft.</p>	22.50 Sft		
7	<p><u>Aluminium Deco Grill :-</u></p> <p>Providing and fixing Aluminium Deco Grill to the cash counter top.</p> <p>Measurement details (Cash Counter):</p> <p>1 No. x 6'0" x 8'6" = 51.00 Sft</p>	51.00 Sft		

	Total Area = 51.00 Sft.			
8	<p><u>Flap Gate :-</u></p> <p>Providing and fixing in position flap gate made out of 19mm thick (BWR) marine grade plywood and exposed portions to be laminated with 1 mm thick laminate of approved make and shade for both surfaces.</p> <p>Edges to be provided with teak wood beading. Including cost of all materials, labour etc., complete.</p> <p>Measurement details:</p> <p>Flap gate – 1 No. x 4'0" x 2'6" = 10.00 Sft</p> <p>Total Area = 10.00 Sft.</p>	10.00 Sft		
9	<p><u>Customers Writing Table :-</u></p> <p>Providing and fixing wall mounted writing table using 12mm thick (BWR PF bonded) marine grade plywood.</p> <p>Exposed surfaces shall be provided with 1 mm thick laminate of approved make and shade.</p> <p>There shall be dividers at every 200mm c/c.</p> <p>Inner surfaces to be applied with 2 coats of enamel paint over coat of primer.</p> <p>Edges to be provided with decorative teak wood beading.</p> <p>Table size length x 0.30m x 0.23m including cost of all materials, labour charges with MS angle support of size 35mm x 35mm x 4mm etc., complete.</p>	1 No. Lumpsum		
10	<p><u>Notice Board :-</u></p> <p>Providing and fixing notice board of size 3'0" x 2'0" by using 18mm thick marine plywood.</p> <p>Exposed surfaces shall be provided with 1 mm thick lamination of approved make and colour.</p>	1 No. Lumpsum		
			Total (Excl. of GST)	